

Increasing Behaviors Decreasing Behaviors Of Persons With Severe Retardation And Autism

Increasing Desirable Behaviors and Decreasing Undesirable Behaviors in Individuals with Severe Intellectual Disability and Autism

Individuals with severe intellectual disability (ID) and autism spectrum disorder (ASD) often present unique behavioral challenges. Understanding and effectively managing these behaviors is crucial for improving their quality of life, fostering independence, and enhancing their overall well-being. This article explores evidence-based strategies for increasing desirable behaviors while simultaneously decreasing undesirable ones, focusing on practical applications and ethical considerations. We will examine **Applied Behavior Analysis (ABA)**, **positive reinforcement**, **functional behavior assessment (FBA)**, and the importance of **personalized intervention plans**.

Understanding the Challenges: A Complex Interaction

The interplay between severe intellectual disability and autism can lead to a complex behavioral presentation. Individuals may exhibit repetitive behaviors (**stereotypy**), self-injurious behaviors (**SIB**), aggression, or communication difficulties that significantly

impact their daily lives and interactions with others. These behaviors are often not intentionally malicious; rather, they serve a specific function, which may be to communicate needs, escape aversive situations, or gain attention. Therefore, effectively addressing these behaviors requires a nuanced understanding of their underlying causes.

Applied Behavior Analysis (ABA): A Cornerstone of Intervention

Applied Behavior Analysis (ABA) is a widely recognized and effective intervention approach for individuals with autism and intellectual disabilities. ABA focuses on identifying the function of a behavior (why it occurs) and then systematically implementing strategies to increase desirable behaviors and decrease undesirable ones. This approach is data-driven, meaning that progress is carefully monitored and interventions are adjusted based on observed results.

Core Principles of ABA for Behavior Modification:

- **Functional Behavior Assessment (FBA):** This crucial first step involves thoroughly investigating the antecedents (events preceding the behavior), the behavior itself, and the consequences (what happens after the behavior). Understanding the function allows for the development of targeted interventions. For example, if a child screams (behavior) to escape a demanding task (antecedent), the intervention might focus on teaching alternative communication skills or breaking down the task into smaller, more manageable steps.
- **Positive Reinforcement:** This involves rewarding desirable behaviors to increase their likelihood of recurrence. Reinforcers should be individualized and motivating for each person, ranging from preferred activities and edibles to social praise and tangible rewards. For instance, praising a child for using a communication board successfully or offering a preferred toy after completing a chore.
- **Extinction:** This involves consistently withholding reinforcement for an undesirable behavior. This process is crucial, yet often needs careful planning and may involve temporary increases in the target behavior before a decrease. For example, if

a child tantrums (behavior) to gain attention (consequence), ignoring the tantrum while providing attention when the child uses appropriate communication may be effective.

- **Differential Reinforcement:** This involves reinforcing alternative, more appropriate behaviors while ignoring or extinguishing the undesirable behavior. For example, instead of punishing aggression, reinforce calm communication.

Creating Personalized Intervention Plans: A Tailored Approach

Effective intervention isn't "one size fits all." A comprehensive **personalized intervention plan** should be developed based on a thorough assessment of the individual's needs, strengths, and challenges. This plan should clearly outline:

- **Target Behaviors:** Specific behaviors to be increased or decreased.
- **Intervention Strategies:** Detailed descriptions of the techniques to be used (e.g., positive reinforcement, shaping, prompting).
- **Data Collection Methods:** Methods for tracking progress and making data-driven decisions.
- **Team Collaboration:** Involvement of family members, educators, therapists, and other relevant professionals.

Regular review and adjustment of the plan are essential to ensure its ongoing effectiveness.

Ethical Considerations: Respect and Dignity

Throughout the process of increasing desirable behaviors and decreasing undesirable behaviors, it's crucial to uphold the highest ethical standards. Interventions should be:

- **Respectful and Dignified:** Avoid any methods that are physically or psychologically harmful or that compromise the

individual's dignity.

- **Least Restrictive:** Use the least intrusive interventions possible. More restrictive methods should only be considered if less restrictive interventions have proven ineffective.
- **Evidence-Based:** Employ strategies supported by scientific research.
- **Transparent and Collaborative:** Involve the individual (where appropriate) and their family in the decision-making process.

Monitoring Progress and Making Adjustments

Regular data collection is essential to monitor the effectiveness of interventions. This data informs adjustments to the intervention plan, ensuring that strategies remain relevant and effective. Frequent communication between all involved parties is crucial to maintain consistency and optimal support for the individual.

Conclusion: A Path Towards Improved Quality of Life

Successfully increasing desirable behaviors and decreasing undesirable behaviors in individuals with severe intellectual disability and autism requires a multifaceted approach. By using evidence-based methods like ABA, implementing personalized intervention plans, and prioritizing ethical considerations, we can significantly improve their quality of life, promote independence, and foster positive relationships. The journey requires patience, perseverance, and a commitment to continuous learning and adaptation.

Frequently Asked Questions (FAQs)

Q1: What if a behavior is self-injurious?

A1: Self-injurious behaviors (SIB) require immediate and careful attention. A thorough FBA is essential to understand the function

of the SIB. Interventions might include antecedent manipulation (changing the environment to prevent the behavior), functional communication training (teaching alternative ways to communicate needs), and safety precautions (protective equipment). In some cases, medication may be considered in consultation with a physician.

Q2: How can I involve the individual in the process?

A2: Involving the individual depends on their communication abilities. For individuals with limited verbal skills, alternative communication methods (e.g., picture exchange systems, assistive technology) can be used to assess their preferences and involve them in choices related to their intervention plan.

Q3: What if the intervention isn't working?

A3: If an intervention isn't producing the desired results, it's crucial to re-evaluate the plan. This might involve revisiting the FBA, adjusting the intervention strategies, or seeking consultation from other professionals. It's important to remember that effective intervention is an iterative process.

Q4: Are there any potential side effects of ABA?

A4: When implemented properly, ABA is generally considered safe and effective. However, potential risks include the possibility of inadvertently reinforcing undesirable behaviors if the intervention is not carefully designed and monitored. Ethical considerations should always be prioritized.

Q5: How long does it take to see results?

A5: The timeline for seeing results varies greatly depending on the individual, the complexity of the behavior, and the effectiveness of the intervention. Some changes may be observed quickly, while others may take longer. Consistent

implementation and regular monitoring are key to success.

Q6: What is the role of medication in behavior management?

A6: Medication may be a part of a comprehensive treatment plan for some individuals, particularly if the behaviors pose significant safety risks. However, medication should be used in conjunction with behavioral interventions, not as a standalone treatment. The decision to use medication should be made in consultation with a physician and other members of the treatment team.

Q7: Where can I find more information and resources?

A7: The Autism Speaks website, the Association for Science in Autism Treatment (ASAT), and the Behavior Analyst Certification Board (BACB) are excellent resources for information on ABA and related interventions. Your local school district or disability services agency can also provide support and resources.

Q8: What is the difference between ABA and other behavioral therapies?

A8: While ABA is a widely used evidence-based behavioral therapy, other approaches exist, such as Discrete Trial Training (DTT) and Pivotal Response Training (PRT). These methods share some similarities but differ in their methodologies and focus. ABA is an overarching umbrella that encompasses many specific techniques, including DTT and PRT. The choice of the most suitable therapy depends on individual needs and preferences.

Understanding and Managing Challenging Behaviors in Individuals with Severe Intellectual Disability and Autism Spectrum Disorder

Increasing difficult behaviors and decreasing desirable behaviors are common obstacles faced by caregivers, educators, and

therapists working with individuals who have severe intellectual disability (ID) and autism spectrum disorder (ASD). These complex behaviors can significantly impact the patient's quality of life, kin dynamics, and access to community participation. This article aims to illuminate the underlying causes of these behaviors, explore effective strategies, and offer practical direction for successful control.

Understanding the Root Causes:

Problem behaviors in individuals with severe ID and ASD are rarely arbitrary. They often serve a function, albeit one that may not be immediately obvious. These behaviors can be a method of:

- **Communication:** Individuals with limited verbal skills may use outbursts to convey needs, wants, or discomfort. For example, a child who cannot say "I'm hungry" might instead scream and throw objects.
- **Sensory Regulation:** Individuals with ASD often have hyper-sensitive sensory systems. Problem behaviors can be a reflex to overwhelming sensory input (e.g., loud noises, bright lights) or an attempt to seek out sensory input (e.g., rocking, hand flapping).
- **Emotional Regulation:** Difficulties processing and expressing emotions are common in both ID and ASD. Difficult behaviors can be a manifestation of stress, irritation, or despair.
- **Medical Conditions:** Underlying medical issues, such as pain, infections, or gastrointestinal problems, can provoke challenging behaviors. Careful medical evaluation is crucial to exclude any organic causes.

Effective Intervention Strategies:

Successful intervention relies on a comprehensive approach that tackles both the function of the behavior and the individual's individualized needs. Key strategies include:

- **Functional Behavior Assessment (FBA):** An FBA is a systematic process to identify the cues that precede a behavior, the

behavior itself, and the results that maintain it. This knowledge is essential for developing effective management plans.

- **Positive Behavior Support (PBS):** PBS focuses on teaching replacement behaviors that serve the same function as the challenging behavior. For example, if a child screams to get attention, PBS might involve teaching them to use a picture exchange system or other communication method to request attention.
- **Applied Behavior Analysis (ABA):** ABA uses principles of learning to train new skills and reduce challenging behaviors. This often involves using reinforcement (rewards) for desirable behaviors and ignoring or redirecting problem behaviors.
- **Environmental Modifications:** Modifying the physical environment can significantly reduce challenging behaviors. This might involve reducing sensory stimulation, providing structured routines, or creating calming spaces.
- **Medication:** In some cases, medication may be necessary to help manage difficult behaviors, particularly those related to medical conditions or severe emotional distress.

Implementation and Practical Benefits:

Implementing these strategies requires a team effort involving caregivers, educators, therapists, and the individual themselves (when possible). Regular monitoring and assessment are crucial to ensure the effectiveness of the management plan.

The benefits of successful management are substantial. Individuals experience enhanced quality of life, greater independence, and increased relational participation. Families experience reduced stress and increased self-belief in their ability to support their loved ones.

Conclusion:

Difficult behaviors in individuals with severe ID and ASD are multifaceted but manageable. By understanding the underlying causes of these behaviors and employing evidence-based approaches, we can help individuals thrive and reach their full potential. A group approach, continuous monitoring, and a focus on positive behavior support are essential for achieving positive results.

Frequently Asked Questions (FAQs):

1. Q: Is it ever acceptable to use punishment to decrease challenging behaviors?

A: Punishment is generally not recommended in behavior modification due to its potential negative effects on the individual's well-being and the treatment relationship. Positive behavior support focuses on teaching alternative behaviors and reinforcing positive actions.

2. Q: How long does it take to see improvements after implementing an intervention plan?

A: The timeline for seeing improvements varies depending on the individual, the severity of the behaviors, and the effectiveness of the treatment plan. Some individuals may show improvements relatively quickly, while others may require more time and adjustments to their plan.

3. Q: What role do families play in managing challenging behaviors?

A: Families play a vital role. They are key providers for information about the individual's behaviors, they can actively participate in implementing approaches at home, and they benefit significantly from training and support to cope with challenging behaviors.

4. Q: What resources are available to families and professionals?

A: Numerous resources are available, including local support groups, professional organizations (e.g., the Autism Speaks, The Arc), government agencies, and therapists specializing in ASD and ID. These resources can provide information, training, and access to assistance.

https://www.aredn.org/416C79H/222110130926/PPT/beer-johnson_strength_of_material-solution-manual.pdf

https://www.aredn.org/130926/562OU26662/ITUNE/2003__chevrolet-venture__auto__repair__manual.pdf
https://www.aredn.org/222110/63H2928K02/PUB/2013_freelander-2__service_manual.pdf
https://www.aredn.org/27930PG/130926/PPT/how__to__stop__your-child-from_being-bullied.pdf
https://www.aredn.org/222110/4G0N623/ITUNE/questions-about_god_and__the-answers-that__could-change_your_life.pdf
https://www.aredn.org/130926/7D56Q74812/PAGE/songs-of_apostolic_church.pdf
https://www.aredn.org/ye/Y7913186E8260913/CHAPTER/2009-triumph__bonneville-owners-manual.pdf
https://www.aredn.org/ml/L9M2042837260913/EPUB/reliant-robin_workshop__manual__online.pdf
https://www.aredn.org/222110/R541Y74330/KINDLE/1996_oldsmobile_cutlass__supreme__repair_manual.pdf
https://www.aredn.org/bt/24B5480T98260913/TEXT/kodak__zi6__user-guide.pdf